



Latest entries 07/2025



SCHMUTZ decoiler for foils

spool width: max. 1.600 mm
spool ID: 150/250/400 mm
coil weight: 4 t
year: approx. 1980

[Directly to website](#)



SAG decoiler - expansion mandrel

strip width: max. 1.500 mm
mandrel Ø: 508 mm
coil weight: 20 t
year: 2009

[Directly to website](#)



GSW decoiler - expansion mandrel

strip width: max. 600 mm
mandrel Ø: 508 mm
coil weight: 4 t
year: 2012

[Directly to website](#)



GSW
decoiler - expansion mandrel

strip width: max. 600 mm
mandrel Ø: 508 mm
coil weight: 4 t
year: 2012

[Directly to website](#)



JOINT (SALICO)
slitting line

strip width: 500 - 1.500 mm
strip thickness: 0,4 - 3 mm
coil weight: 15 t
coil ID: 508 mm
year: 2003

[Directly to website](#)



DEMPEWOLF/FIMI
interchangeable slitting stands (3 pieces)

strip width: 1.560 mm
strip thickness: 1 - 7 mm
blade shaft Ø: 280 mm
speed: max. 120 m/min
year (overhauling): 2017

[Directly to website](#)



FIMI/ACHENBACH
cut-to-length line

strip width: 500 - 2.000 mm
strip thickness: 0,8 - 4 (8) mm
coil weight: 25 t
coil ID: 508 mm

[Directly to website](#)



BLEMA GOTHANN
cut-to-length line

strip width: 300 - 1.500 mm
strip thickness: 0,5 - 3 mm
coil weight: 15 t
coil ID: 508 mm
year: approx. 1985

[Directly to website](#)



UNGERER
cross-cut shear

type: Cutmatic
strip width: max. 2.150 mm
strip thickness: max. 6 mm

[Directly to website](#)



EHT
guillotine shear

type: TSS 4-60
cutting width: max. 6.050 mm
cutting thickness: max. 4 mm
length stop range: 10 - 1.000 mm
year: 1999

[Directly to website](#)



LÖCHER/FACCIN/ASDORF
production line for flanges, rings

workpiece Ø: 2.320 - 7.000 mm
year: 2007

[Directly to website](#)

****** Inspect our machines virtually by video conference ******

Please send us your offer about machines you want to sell.

We are looking forward to your message!

IMPRINT:

:: COILTEC Maschinenvertriebs GmbH • Silberkaute 4 • 57258 Freudenberg/Germany

:: phone +49-2734-578444 • fax +49-2734-578457

:: <http://www.coiltec.de> • mail to: info@coiltec.de

:: Geschaefstfuehrer/Managing Director: Klaus Lingemann • Amtsgericht Siegen, HRB 3993