



Latest Entries 02/2020

Please find below our latest entries:



**(0104) PENSOTTI deoiler with coil carriage**

strip width 500 - 1.600 mm  
strip thickness 0,3 - 3 mm  
coil weight 20 t  
coil inner diameter 508 mm  
year approx. 2000



**(0209) PENSOTTI recoiler**

strip width 500 - 1.600 mm  
strip thickness 0,3 - 3 mm  
coil weight 20 t  
coil inner diameter 508 mm  
year approx. 2000



**(0303) PENSOTTI turnstile**

4 arms  
strip width 500 - 1.600 mm  
arm diameter 450 mm  
coil weight 20 t  
year approx. 2000



**(0523) ZAPPA/SIEMAG slitting line + coil banding line**

strip width 400 - 1.550 mm  
strip thickness 0,4 - 3 mm  
coil weight 25 t  
coil inner diameter 508/610 mm  
year 1984/2006

---



**(0525) ZAPPA slitting line**

strip width max. 650 mm  
strip thickness 0,4 - 3 mm  
coil weight 5 t  
coil inner diameter 508/610 mm  
year 1986

---



**(0526) NOVASTILMEC scrap winder**

(bundle)  
strip width max. 20 mm  
strip thickness max. 4 mm  
year approx. 2000

---



**(0527) PENSOTTI roller brake/felt brake**

for slitting line  
strip width 500 - 1.600 mm  
strip thickness 0,3 - 3 mm  
year approx. 2000



**(0711) RIZZATO/MARIANI cut-to-length line**

strip width 500 - 2.200 mm  
strip thickness 0,8 - 6 mm  
coil weight 25 t  
year 1985



**(0720) UNGERER cut-to-length line**

strip width 300 - 2.000 mm  
strip thickness 0,5 - 3 (4) mm  
coil weight 30 t  
coil inner diameter 508/610 mm  
year 1991



**(0701) NOVASTILMEC cut-to-length line**

strip width 500 - 1.600 mm  
strip thickness 0,6 - 5 mm  
coil weight 30 t  
coil inner diameter 508/610 mm  
year 1995

IMPRINT:  
COILTEC Maschinenvertriebs GmbH, Silberkaute 4, 57258 Freudenberg/Germany

[info@coiltec.de](mailto:info@coiltec.de)  
[www.coiltec.de](http://www.coiltec.de)